

Data Sheet | Model: **Armorgard FlamStor Cabinet FSC1**



- 🚫 Secure cabinet for keeping hazardous substances safe, organised and accessible
- 🚫 Robust 5-lever deadlocks
- 🚫 Unique internal anti-jemmy system
- 🚫 Robust construction using 1.6mm and 2mm steel
- 🚫 High and low level ventilation to prevent build-up of fumes
- 🚫 Flame arrester gauze fitted
- 🚫 The FlamStor Cabinet is built to the specification of 30 minute fire resistance
- 🚫 Suitable for storing flammable equipment and chemicals
- 🚫 Fully welded sump to comply with COSHH regulations and prevent any leakages
- 🚫 Fork lift skids with facilities to fix the unit in position
- 🚫 Complete with 2 fully adjustable shelves
- 🚫 Complete with relevant signage

Product	Armorgard FlamStor Cabinet FSC1
Internal dimensions	490x465x895
External dimensions (including protrusions)	500x530x980
Weight (kg)	45
Colour	Pillar Box Red
Finished Coating	Powder Coat with anti-corrosive undercoat
Material	Steel
Material Thickness	1.6mm and 2mm
Locking mechanism	Highly Secure, 5-Lever Deadlock
Does it have Forklift Skids?	Yes
Does it have Gas Arms?	No
Newton Loading of Gas Arms	N/A
Safety stay	No
Quantity of keys supplied	2 Robust keys
Optional Extras Available	Additional Shelves
Quantity of Shelves as standard	2
Are Castors standard or optional extra	Optional Extra
How are the Castors fitted?	Requires welding on or holes to be drilled to bolt them on
Sump capacity	40
Safety Signage	Hazardous Goods Sign
Fire resistant?	Up to 30 minutes



RICHARDSONS
MAKING WORKSPACE WORK

6 Collingwood Court
Riverside Park
Middlesbrough TS2 1RP

Tel: 01642 242228
Fax: 01642 242259

www.richardsonsonuk.co.uk | sales@richardsonsonuk.co.uk

Data Sheet | Model: **Armorgard FlamStor Cabinet FSC2**



- 🔒 Secure cabinet for keeping hazardous substances safe, organised and accessible
- 🔒 Keyed alike 5-lever deadlocks
- 🔒 Unique internal anti-jemmy system
- 🔒 Robust construction using 1.6mm and 2mm steel
- 🔒 High and low level ventilation to prevent build-up of fumes
- 🔒 Flame arrester gauze fitted
- 🔒 The FlamStor Cabinet is built to the specification of 30 minute fire resistance
- 🔒 Suitable for storing flammable equipment and chemicals
- 🔒 Fully welded sump to comply with COSHH regulations and prevent any leakages
- 🔒 Fork lift skids with fixing holes to add castors and make it a mobile unit
- 🔒 Facilities to fix the unit in position
- 🔒 Complete with 2 fully adjustable shelves
- 🔒 Complete with relevant signage

Product	Armorgard FlamStor Cabinet FSC2
Internal dimensions	790x540x1170
External dimensions (including protrusions)	800x585x1250
Weight (kg)	74
Colour	Pillar Box Red
Finished Coating	Powder Coat with anti-corrosive undercoat
Material	Steel
Material Thickness	1.6mm and 2mm
Locking mechanism	Highly Secure, keyed alike 5-Lever Deadlock
Does it have Forklift Skids?	Yes
Does it have Gas Arms?	No
Newton Loading of Gas Arms	N/A
Safety stay	No
Quantity of keys supplied	3 Robust keys
Optional Extras Available	Castors, Additional Shelves
Quantity of Shelves as standard	2
Are Castors standard or optional extra	Optional Extra
How are the Castors fitted?	Quick-fix bolt on Castor kit
Sump capacity	115
Safety Signage	Hazardous Goods Sign
Fire resistant?	Up to 30 minutes



RICHARDSONS
MAKING WORKSPACE WORK

6 Collingwood Court
Riverside Park
Middlesbrough TS2 1RP



Tel: 01642 242228
Fax: 01642 242259

www.richardsonsuk.co.uk | sales@richardsonsuk.co.uk

Data Sheet | Model: **Armorgard FlamStor Cabinet FSC3**



- 🚫 Secure cabinet for keeping hazardous substances safe, organised and accessible
- 🚫 Keyed alike 5-lever deadlocks
- 🚫 Unique internal anti-jemmy system
- 🚫 Robust construction using 1.6mm and 2mm steel
- 🚫 High and low level ventilation to prevent build-up of fumes
- 🚫 Flame arrester gauze fitted
- 🚫 The FlamStor Cabinet is built to the specification of 30 minute fire resistance
- 🚫 Suitable for storing flammable equipment and chemicals
- 🚫 Fully welded sump to comply with COSHH regulations and prevent any leakages
- 🚫 Fork lift skids with fixing holes to add castors and make it a mobile unit
- 🚫 Facilities to fix the unit in position
- 🚫 Complete with 2 fully adjustable shelves
- 🚫 Complete with relevant signage

Product	Armorgard FlamStor Cabinet FSC3
Internal dimensions	1185x510x1475
External dimensions (including protrusions)	1205x580x1555
Weight (kg)	111
Colour	Pillar Box Red
Finished Coating	Powder Coat with anti-corrosive undercoat
Material	Steel
Material Thickness	1.6mm and 2mm
Locking mechanism	Highly Secure, keyed alike 5-Lever Deadlock
Does it have Forklift Skids?	Yes
Does it have Gas Arms?	No
Newton Loading of Gas Arms	N/A
Safety stay	No
Quantity of keys supplied	3 Robust keys
Optional Extras Available	Castors, Additional Shelves
Quantity of Shelves as standard	2
Are Castors standard or optional extra	Optional Extra
How are the Castors fitted?	Quick-fix bolt on Castor kit
Sump capacity	130
Safety Signage	Hazardous Goods Sign
Fire resistant?	Up to 30 minutes



RICHARDSONS
MAKING WORKSPACE WORK

6 Collingwood Court
Riverside Park
Middlesbrough TS2 1RP

Tel: 01642 242228
Fax: 01642 242259

www.richardsonsonuk.co.uk | sales@richardsonsonuk.co.uk