


Drawer cabinets

# ROBUST ALL-ROUNDERS

**LISTA drawer cabinets provide a robust and well protected storage option for equipment and many other items.** High-quality specifications and a variety of individual configuration options make these robust all-rounders ideal for a wide variety of requirements and environments. Their special design guarantees optimum space utilisation. In addition, housing and drawers can be variably partitioned, intelligently labelled, protected with access control and finished in almost any colour. Nowhere else will you find this degree of flexibility.



## ALWAYS WITH LISTA

### Free choice of colours

12 standard colours, 6 colour combinations, all other colours available; see p. 12

### Intelligent locking systems


Replaceable cylinders which can be fitted to existing locking systems, electronic numeric and remote locking systems via RFID Lock for absolute security made to measure; see p. 13

### Individual configuration options

in terms of size, equipment, locking system, colour and drawer partitions; see p. 10

### Fully combinable

with the entire LISTA range thanks to standard measurement unit; see p. 11



**+ Utmost stability**

load capacity of housing up to 4 t; load capacity of drawers 75 or 200 kg

**+ Can be utilised to the full**

since drawers can be fully extended and the drawer shell heights are optimised

**+ Well protected**

against dirt, liquids and mechanical load through closed housing with impact and abrasion-resistant surface

**+ Outstanding safety features**

safety catch to prevent the drawers from falling out and anti-tilt mechanism to prevent opening of more than one drawer at a time

**+ Corrosion protection**

with electrophoretic dip painting and environmentally-friendly powder coating

**+ Optimum order and organisation**

thanks to special LISTA partition material for every purpose and perforated, slotted drawers

**+ Professional labelling**

with LISTA Script labelling software and clip-on label holders which fold upwards

**+ Perfectly smooth running**

through differential pull-out without a crossbar


**+ Flexibly adaptable**

through pre-perforated holes for table tops (punch-outs), rollers, drawers, locking systems for easy retrofitting and refitting

# Drawer cabinets



## + Maximum use of drawer space



### Optimum shell height

- drawer sides and rear panels the same height as the fronts
- maximum use of vertical space
- optimum protection against items falling out and loss of stored items



### Full extension

- maximum use of horizontal space
- everything in view
- optimum access

## + Perfectly smooth running



### Pull-out without crossbar

- perfectly smooth running and ease of movement through differential pull-out without a crossbar
- enables the drawer to be fully extended



### Quiet locking tab

- special plastic cover in the locking tab
- smooth and quiet locking process

## + Professional labelling



### Label holder which folds upwards

- on drawers, troughs, metal dividers, separators and housing
- for easy, clean and protected labelling




### LISTA Script

The LISTA Script labelling software offers:

- numerous labelling options
- pictograms
- barcode generator

As a LISTA customer, you can download our LISTA Script labelling software free of charge online at: [www.lista.com/script](http://www.lista.com/script)

## + Partition material for every purpose



### The LISTA standard

Our drawer partition materials are standardised and therefore compatible with the entire LISTA range.

➤ Drawer partition material see p. 204 ff.

➤ LISTA Script slide-in labels see p. 224 ff.

# Benefits of LISTA storage systems


## Storage in drawers

Storing small parts in drawers rather than on shelves ensures that stored items are protected from dust and contamination while saving space and optimising organisation. The entire contents of the drawer are visible in no time, whereas with a shelf, items may have to be moved or reached over to gain access.

- The depth of a compartment can be adapted to suit the stored items at any time, and any number of parts can be placed one behind the other
- By simply pulling out the drawer, you can clearly see the contents and have everything within reach in a truly space-saving way

### + Example of space requirement

Usable depth  $4 \times 600 = 2400 \text{ mm}$   
 Depth of aisle  $2 \times 1000 = 2000 \text{ mm}$  } Total 4400 mm




## Storage on shelves


- If the parts are smaller than the depth of the shelves, there is a lot of unused space behind the goods
- If the items are stored behind one another, then space is needed for both visibility and access

### - Example of space requirement

Usable depth  $8 \times 300 = 2400 \text{ mm}$   
 Depth of aisle  $4 \times 800 = 3200 \text{ mm}$  } Total 5600 mm



## + Optimum order and organisation




**Plastic boxes and troughs**  
for small and cylindrical items




**Tool holders**  
for NC storage



**Metal separators**  
for different sized parts



**PE foam inserts**  
for special and measuring tools




### Perforated, slotted drawers hold items firmly in place

- a series of slots around the drawer walls hold the partitioning material firmly in place
- perforated drawer bases enable slotted dividers, metal separators, dividers, holding pins or milling cutter holders to be optionally screwed in place

LISTA Units	Depth 27 E				Depth 36 E						
	18 × 27 E	27 × 27 E	36 × 27 E	54 × 27 E	18 × 36 E	27 × 36 E	36 × 36 E	45 × 36 E	54 × 36 E	64 × 36 E	78 × 36 E
Cabinet floor area mm	411 × 572	564 × 572	717 × 572	1023 × 572	411 × 725	564 × 725	717 × 725	870 × 725	1023 × 725	1193 × 725	1431 × 725
Drawer useful space mm	306 × 459	459 × 459	612 × 459	918 × 459	306 × 612	459 × 612	612 × 612	765 × 612	918 × 612	1088 × 612	1326 × 612

## + Flexibly adaptable



### Variable raised edges

- raised edges on three sides of stationary cabinets for simple and easy cleaning
- raised edges on four sides of mobile cabinets to protect the goods being transported



### Punch out

- housing covers with pre-perforated holes which can be punched out
- for retrofitting with a table top or second drawer cabinet on top



### Base/forklift base


- optional base and forklift base (for drawer cabinets with a width of 36 E and over)
- makes it easy to adjust the height of the drawer cabinet
- enables the loaded cabinet to be lifted and moved with a forklift truck



### Mobile cabinets

- Our mobile cabinets are supplied with:
- raised edges on all four sides and push-bar
  - black ribbed mat
  - two swivel castors with brakes
  - two fixed castors and single-drawer locking mechanism

**Stationary cabinets can be converted to mobile cabinets at any time.**



## + Individual configuration options

As standard, LISTA drawer cabinets are available in seven different widths, two depths and a variety of heights. The configuration options in terms of size, equipment, locking system, colour and drawer partitions are almost unlimited.

Our drawer cabinets can be combined individually to suit any working environment in order to make maximum use of available space. They can be extended at any time and therefore offer a scalable solution tailored to your needs.

### Typical configurations



Configuration as a drawer cabinet



Configuration as a drawer cabinet with recessed hinged door, pull-out shelves and adjustable shelves



Configuration as a drawer cabinet with drawers, recessed hinged door, pull-out shelves and adjustable shelves



Configuration as a mobile drawer cabinet



Configuration as a picking trolley with raised edges and push-bar



ESD version available on request



## + Outstanding safety features



### Single drawer opening as standard

- prevents the cabinet from tipping over by blocking all other drawers when one drawer is pulled out
- allows for drawers to be moved around into a different arrangement at any time



### Flush drawer front

- drawer handles with side covers which sit snugly within the front profile
- look good and are safe



### Safety catches

- comply with all regulations against drawers accidentally falling out of cabinets
- reduce the risk of injuries at the workplace
- can easily be deactivated in order to move individual drawers



### Information on load capacity

- the load capacity (75 or 200 kg) is inscribed on the drawer runners
- increased safety

## + Extra safety for stationary and mobile cabinets



### Safety catch on right

- our standard safety catch for all mobile cabinets
- can be operated with one hand



### Single safety catch on the right and left

- especially suitable for mobile equipment
- both hands are needed to operate them



### Double safety catch

- has all the same features as the single safety catch on the left and the right
- easier to use since it can be operated with one hand



### Lilo locking device

- with external lever for fixing the fully laden drawer in either open or closed position
- for a drawer load capacity of 200 kg


# Drawer cabinets

## Countless configuration options




### Covers

Raised edges on three sides and ribbed mat, Resin-coated cover panel, Multiplex cover panel, Raised edges on 4 sides, with push-bar (for mobile cabinets)



### Partition material

Slotted dividers, separators, trough walls, metal separators, label holders, plastic boxes and trough separators, milling cutter holders and holding pins, non-slip mats, foam inserts and much more.



### Inserts and add-ons

Drawers, pull-out and adjustable shelves, hinged doors



### Locking systems

KEY Lock, CODE Lock, RFID Lock or AUTO Lock



### Substructures

Housing base, 2-way pallet/ forklift truck base, Pairs of castor holders, individual castors and levelling feet

## Order preconfigured models

» Page 28–41

LISTA Units

» Page 204

2. Partition material

■ or options

## ... or configure and order cabinets individually

» Page 42–47

LISTA Units

1. Housing

2. Drawers

3. Accessories

» Page 204

4. Partition material

- select the cabinet floor area (e. g. 717 × 572 mm = 36 × 27 E or 717 × 725 mm = 36 × 36 E)
- LISTA Unit E × E = a unit of measure which helps to choose drawers and partition materials

- choice of various housing heights (A)
- the choice of housing always includes the choice of the preferred locking system and the colour

- define the height of the front, the load capacity, the colour and the type of safety catch
- sum of the drawer front heights (C) = clear height (B) (see diagram)

- can be equipped with drawers and doors
- select the cabinet accessories
- mobile cabinets must have a drawer safety catch and a push-bar

- select the partition material for the drawers
- N.B.: take the drawer height and usable surface into account!

## 12 standard colours

### Maximum flexibility thanks to free choice of colours

All products with a choice of colours are available in 12 standard colours and 6 colour combinations without surcharge. The three-digit colour code (e.g. .010) forms part of the article number. When ordering, please complete the article number by adding the desired three-digit colour code (e.g. **70.701.010**). Housings and drawers can also be ordered in different colours.



**.010** Light blue  
RAL 5012



**.020** Light grey  
RAL 7035



**.030** Reseda green  
RAL 6011



**.040** Capri blue  
RAL 5019



**.050** Metallic grey  
NCS S 6502-B



**.060** Black  
NCS S 9000-N



**.070** Ruby red  
RAL 3003



**.080** Pigeon grey  
NCS S 4502-B



**.090** Gentian violet  
RAL 5010



**.100** Signal blue  
RAL 5005



**.110** Pure white  
RAL 9010



**.180** Grey white  
RAL 9002

## 6 colour combinations



**.514** Light grey  
RAL 7035  
Light blue  
RAL 5012



**.518** Light grey  
RAL 7035  
Signal blue  
RAL 5005



**.519** Light grey  
RAL 7035  
Metallic grey  
NCS S 6502-B



**.521** Metallic grey  
NCS S 6502-B  
Light grey  
RAL 7035



**.512** Light grey  
RAL 7035  
Ruby red  
RAL 3003



**.522** Ruby red  
RAL 3003  
Metallic grey  
NCS S 6502-B

## An additional 12 predefined colours

(at extra cost)

**.120** Grey aluminium  
RAL 9007

**.130** White aluminium  
RAL 9006

**.140** Light grey  
NCS S 2000-N

**.170** Ultramarine blue  
RAL 5002

**.190** Sky blue  
RAL 5015

**.200** Anthracite grey  
RAL 7016

**.210** Brilliant blue  
RAL 5007

**.220** Turquoise blue  
RAL 5018

**.230** Pebble grey  
RAL 7032

**.240** Flame red  
RAL 3000

**.260** Slate grey  
RAL 7015

**.280** Orange  
RAL 2004

### Your individual choice of colour on request

LISTA is able to deliver any individual colour on request. In addition to the existing standard and predefined colours, it is also possible to produce your desired product in any colour you choose on request.



Due to the printing process, these colour samples may deviate from the original colours.



# Drawer cabinets | stationary and mobile



Art. no. **78.414.521**  
 Housing: Metallic grey, NCS 6502-B  
 Fronts: light grey, RAL 7035  
 (excluding partition material)



Art. no. **78.423.070.C**  
 Ruby red, RAL 3003  
 (excluding partition material)

## Mobile cabinets


All mobile drawer cabinets on these two pages are equipped with:  
 1 raised edge on 4 sides and ribbed mat,  
 1 push-bar,  
 1 pair castor holders with nylon castors Ø 100 mm,  
 Drawer safety catch on right, Load capacity 400 kg

**18 × 27 E**    **W → 411 mm**    **D ↗ 572 mm**


 306 × 459 mm






<b>H ↑</b>	<b>Number of drawers mm</b>	<b>kg</b>	<b>Locking system</b>	<b>Art. no.</b>
283	2: 1 × 50 / 1 × 150	75	KEY Lock	<b>78.400.XXX</b>
283	2: 2 × 100	75	KEY Lock	<b>78.402.XXX</b>
283	3: 1 × 50 / 2 × 75	75	KEY Lock	<b>78.404.XXX</b>
383	3: 1 × 50 / 1 × 100 / 1 × 150	75	KEY Lock	<b>78.406.XXX</b>
383	3: 2 × 75 / 1 × 150	75	KEY Lock	<b>78.408.XXX</b>
383	4: 1 × 50 / 2 × 75 / 1 × 100	75	KEY Lock	<b>78.410.XXX</b>
533	4: 1 × 50 / 1 × 100 / 2 × 150	75	KEY Lock	<b>78.414.XXX</b>
700	3: 1 × 100 / 1 × 200 / 1 × 300	75	KEY Lock	<b>78.418.XXX</b>
700	5: 2 × 75 / 3 × 150	75	KEY Lock	<b>78.420.XXX</b>
723	4: 1 × 50 / 1 × 100 / 2 × 150	75	KEY Lock	<b>78.423.XXX</b>
723	5: 2 × 50 / 2 × 100 / 1 × 150	75	KEY Lock	<b>78.425.XXX</b>
840	6: 2 × 50 / 2 × 75 / 2 × 150	75	KEY Lock	<b>78.427.XXX</b>

**i** 

When ordering a drawer cabinet from these two pages with **CODE Lock**, please add the suffix „C” or for **RFID** or **AUTO Lock** the suffix „F” or „A” to the article number from the table (e.g. **78.467.XXX.C**).

 Other locking systems see p. 14–17



 = load capacity  
 = locking system



**27×27 E**    **W** → 564 mm    **D** ↗ 572 mm

459 × 459 mm



	<b>H</b> ↑	<b>Number of drawers mm</b>	<b>kg</b>	<b>Lock</b>	<b>Art. no.</b>
<b>283</b>	2:	1 × 50 / 1 × 150	75	KEY Lock	<b>78.461.XXX</b>
<b>283</b>	2:	2 × 100	75	KEY Lock	<b>78.463.XXX</b>
<b>283</b>	3:	2 × 50 / 1 × 100	75	KEY Lock	<b>78.465.XXX</b>
<b>383</b>	2:	1 × 100 / 1 × 200	75	KEY Lock	<b>78.467.XXX</b>
<b>383</b>	3:	1 × 50 / 1 × 100 / 1 × 150	75	KEY Lock	<b>78.469.XXX</b>
<b>383</b>	4:	1 × 50 / 2 × 75 / 1 × 100	75	KEY Lock	<b>78.471.XXX</b>
<b>700</b>	6:	1 × 50 / 2 × 75 / 2 × 100 / 1 × 200	75	KEY Lock	<b>78.486.XXX</b>
<b>800</b>	4:	2 × 100 / 1 × 200 / 1 × 300	75	KEY Lock	<b>78.289.XXX</b>
<b>800</b>	5:	1 × 50 / 2 × 100 / 1 × 150 / 1 × 300	75	KEY Lock	<b>78.882.XXX</b>
<b>850</b>	4:	1 × 100 / 1 × 150 / 1 × 200 / 1 × 300	75	KEY Lock	<b>79.380.XXX</b>
<b>850</b>	5:	1 × 100 / 3 × 150 / 1 × 200	75	KEY Lock	<b>14.256.XXX</b>
<b>850</b>	6:	2 × 75 / 2 × 100 / 2 × 200	75	KEY Lock	<b>14.258.XXX</b>
<b>850</b>	6:	1 × 50 / 2 × 100 / 2 × 150 / 1 × 200	75	KEY Lock	<b>78.953.XXX</b>
<b>850</b>	7:	2 × 75 / 3 × 100 / 2 × 150	75	KEY Lock	<b>14.252.XXX</b>
<b>850</b>	8:	1 × 50 / 2 × 75 / 4 × 100 / 1 × 150	75	KEY Lock	<b>14.250.XXX</b>
<b>723</b>	4:	1 × 50 / 1 × 75 / 1 × 125 / 1 × 200	75	KEY Lock	<b>78.489.XXX</b>
<b>723</b>	5:	1 × 50 / 2 × 75 / 1 × 100 / 1 × 150	75	KEY Lock	<b>78.491.XXX</b>
<b>840</b>	6:	2 × 50 / 2 × 75 / 2 × 150	75	KEY Lock	<b>78.493.XXX</b>
<b>890</b>	5:	4 × 100 / 1 × 200	75	KEY Lock	<b>14.249.XXX</b>
<b>890</b>	6:	1 × 50 / 2 × 75 / 2 × 100 / 1 × 200	75	KEY Lock	<b>14.247.XXX</b>
<b>890</b>	6:	2 × 75 / 3 × 100 / 1 × 150	75	KEY Lock	<b>14.245.XXX</b>

**S** Art. no. **14.252.010**  
Light blue, RAL 5012  
(excluding partition material)



**S**  
**S**

**S**  
**S**

Art. no. **14.245.020**  
Light grey, RAL 7035  
(excluding partition material)

**S** **LISTA quick delivery range**  
These LISTA products in the colours light blue (.010) and light grey (.020) are available ex-works at short notice.

**.010**

Light blue  
RAL 5012

**.020**

Light grey  
RAL 7035

# Drawer cabinets | stationary and mobile



Art. no. **78.556.521**  
 Housing: Metallic grey, NCS S 6502-B  
 Fronts: Light grey, RAL 7035  
 (excluding partition material)



**36 x 27 E**    **W** → 717 mm    **D** ↗ 572 mm

612 x 459 mm



<b>H</b> ↑	Number of drawers mm	kg	Locking system	Art. no.
700	5: 1×50 / 2×100 / 1×150 / 1×200	75	KEY Lock	<b>78.556.XXX</b>
700	5: 2×75 / 2×100 / 1×250	75	KEY Lock	<b>78.560.XXX</b>
700	6: 2×75 / 3×100 / 1×150	75	KEY Lock	<b>78.564.XXX</b>



850	7: 1×50 / 2×75 / 2×100 / 1×150 / 1×200	75	KEY Lock	<b>78.568.XXX</b>
850	7: 2×75 / 2×100 / 2×125 / 1×150	75	KEY Lock	<b>78.572.XXX</b>
850	8: 4×75 / 3×100 / 1×150	75	KEY Lock	<b>78.576.XXX</b>



1000	7: 1×50 / 2×75 / 2×100 / 1×200 / 1×300	75	KEY Lock	<b>78.580.XXX</b>
1000	7: 2×75 / 1×100 / 3×150 / 1×200	75	KEY Lock	<b>78.584.XXX</b>
1000	8: 1×50 / 2×75 / 3×100 / 1×150 / 1×250	75	KEY Lock	<b>78.588.XXX</b>



962	5: 1×50 / 2×100 / 1×150 / 1×200	75	KEY Lock	<b>78.604.XXX</b>
962	5: 2×75 / 2×100 / 1×250	75	KEY Lock	<b>78.608.XXX</b>
962	6: 2×75 / 3×100 / 1×150	75	KEY Lock	<b>78.606.XXX</b>

## Mobile cabinets

All mobile drawer cabinets on these two pages are equipped with:  
 1 raised edge on four sides including ribbed mat, 1 push-bar, 1 pair of castor holders with rubber castors Ø 160 mm, single drawer safety catch on the right, load capacity 600 kg

= load capacity  
 = locking system



When ordering a drawer cabinet from these two pages with **CODE Lock**, please add the suffix „C“ or for **RFID** or **AUTO Lock** the suffix „F“ or „A“ to the article number from the table (e.g. **78.467.XXX.C**).

Other locking systems see p. 14–17



Art. no. **78.608.030**  
 Reseda green, RAL 6011  
 (excluding partition material)



Art. no. **78.782.010**  
Light blue, RAL 5012  
(excluding partition material)

**54 x 27 E**    **W** → 1023 mm    **D** ↗ 572 mm

918 x 459 mm



H ↑	Number of drawers mm	Kg	Lock	Art. no.
850	5: 3 × 100 / 1 × 150 / 1 × 300**	75	KEY Lock	<b>78.742.XXX</b>
850	5: 3 × 100 / 1 × 150 / 1 × 300	200	KEY Lock	<b>78.744.XXX</b>
850	6: 2 × 75 / 2 × 100 / 1 × 150 / 1 × 250**	75	KEY Lock	<b>78.746.XXX</b>
850	6: 2 × 75 / 2 × 100 / 1 × 150 / 1 × 250	200	KEY Lock	<b>78.748.XXX</b>
850	7: 1 × 50 / 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200	75	KEY Lock	<b>78.750.XXX</b>
850	7: 1 × 50* / 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200	200	KEY Lock	<b>78.752.XXX</b>
1000	6: 3 × 100 / 2 × 150 / 1 × 300**	75	KEY Lock	<b>78.754.XXX</b>
1000	6: 3 × 100 / 2 × 150 / 1 × 300	200	KEY Lock	<b>78.756.XXX</b>
1000	7: 2 × 75 / 1 × 100 / 3 × 150 / 1 × 200	75	KEY Lock	<b>78.758.XXX</b>
1000	7: 2 × 75 / 1 × 100 / 3 × 150 / 1 × 200	200	KEY Lock	<b>78.760.XXX</b>
1000	8: 2 × 75 / 4 × 100 / 1 × 150 / 1 × 200	75	KEY Lock	<b>78.762.XXX</b>
1000	8: 2 × 75 / 4 × 100 / 1 × 150 / 1 × 200	200	KEY Lock	<b>78.764.XXX</b>
1450	9: 2 × 75 / 2 × 100 / 2 × 150 / 2 × 200 / 1 × 300**	75	KEY Lock	<b>78.766.XXX</b>
1450	9: 2 × 75 / 2 × 100 / 2 × 150 / 2 × 200 / 1 × 300	200	KEY Lock	<b>78.768.XXX</b>
1450	10: 2 × 75 / 3 × 100 / 2 × 150 / 3 × 200	75	KEY Lock	<b>78.770.XXX</b>
1450	10: 2 × 75 / 3 × 100 / 2 × 150 / 3 × 200	200	KEY Lock	<b>78.772.XXX</b>
1450	11: 2 × 75 / 5 × 100 / 2 × 150 / 2 × 200	75	KEY Lock	<b>78.774.XXX</b>
1450	11: 2 × 75 / 5 × 100 / 2 × 150 / 2 × 200	200	KEY Lock	<b>78.776.XXX</b>
962	4: 1 × 100 / 2 × 150 / 1 × 200	75	KEY Lock	<b>78.778.XXX</b>
962	5: 2 × 75 / 1 × 100 / 1 × 150 / 1 × 200	75	KEY Lock	<b>78.780.XXX</b>
962	6: 2 × 75 / 3 × 100 / 1 × 150	75	KEY Lock	<b>78.782.XXX</b>



Art. no. **78.770.020**  
Light grey, RAL 7035  
(excluding partition material)

## Drawer cabinets | stationary and mobile

In addition to the stationary versions, all LISTA drawer cabinets are also available as mobile cabinets. This increased mobility provides greater convenience and gains extra space. Mobile cabinets enable you to transport stored items easily and quickly and can conveniently be stored under a work surface if space is at a premium.

- + Greater mobility**  
through smooth-running nylon and rubber castors, depending on the properties of the floor
- + Optimum use of space**  
when positioned under work surfaces
- + Safe and convenient**  
thanks to raised edges all round, ergonomic push-bar and additional drawer safety mechanisms
- >> Benefits of LISTA drawer cabinets**  
see p. 20/21





Art. no. **78.459.512**  
Housing: Light grey, RAL 7035  
Fronts: Ruby red, RAL 3003  
(excluding partition material)



Art. no. **78.449.010**  
Light blue, RAL 5012  
(excluding partition material)



Art. no. **78.439.512.C**  
Housing: Light grey, RAL 7035  
Fronts: Ruby red, RAL 3003  
(excluding partition material)

**18 × 36 E** W → 411 mm D ↗ 725 mm

306 × 612 mm

	H ↑	Number of drawers mm	kg	Locking system	Art. no.
	283	2: 1 × 50 / 1 × 150	75	KEY Lock	<b>78.431.XXX</b>
	283	2: 2 × 100	75	KEY Lock	<b>78.433.XXX</b>
	283	3: 1 × 50 / 2 × 75	75	KEY Lock	<b>78.435.XXX</b>
	383	3: 2 × 75 / 1 × 150	75	KEY Lock	<b>78.437.XXX</b>
	383	3: 1 × 50 / 1 × 100 / 1 × 150	75	KEY Lock	<b>78.439.XXX</b>
	383	4: 1 × 50 / 2 × 75 / 1 × 100	75	KEY Lock	<b>78.441.XXX</b>
	700	3: 2 × 150 / 1 × 300	75	KEY Lock	<b>78.447.XXX</b>
	700	5: 2 × 75 / 3 × 150	75	KEY Lock	<b>78.449.XXX</b>
	723	4: 1 × 50 / 1 × 100 / 2 × 150	75	KEY Lock	<b>78.453.XXX</b>
	723	5: 2 × 50 / 2 × 100 / 1 × 150	75	KEY Lock	<b>78.455.XXX</b>
	840	6: 2 × 50 / 2 × 75 / 2 × 150	75	KEY Lock	<b>78.457.XXX</b>
	890	5: 2 × 75 / 3 × 150	75	KEY Lock	<b>78.459.XXX</b>

**i**

When ordering a drawer cabinet from these two pages with **CODE Lock**, please add the suffix „C” or for **RFID** or **AUTO Lock** the suffix „F” or „A” to the article number from the table (e.g. **78.467.XXX.C**).

➤ Other locking systems see p. 14–17

**Mobile cabinets**

All mobile drawer cabinets on this page are equipped with:  
1 raised edge on 4 sides and ribbed mat,  
1 push-bar,  
1 pair castor holders with nylon castors Ø 100 mm,  
Drawer safety catch on right, Load capacity 400 kg

# Drawer cabinets | stationary and mobile



**27 × 36 E**    **W** → 564 mm    **D** ↗ 725 mm

459 × 612 mm

<b>H</b> ↑	Number of drawers mm	kg	Lock	Art. no.
283	2: 1×50/1×150	75	KEY Lock	78.497.XXX
283	2: 2×100	75	KEY Lock	78.499.XXX
383	3: 1×50 / 1×100 / 1×150	75	KEY Lock	14.437.XXX
383	3: 2×75 / 1×150	75	KEY Lock	78.505.XXX
533	4: 1×50 / 2×100 / 1×200	75	KEY Lock	15.009.XXX
533	5: 1×50 / 2×75 / 1×100 / 1×150	75	KEY Lock	78.511.XXX
700	5: 2×75 / 1×100 / 1×150 / 1×200	75	KEY Lock	78.518.XXX
700	4: 1×100 / 2×150 / 1×200	75	KEY Lock	14.350.XXX
700	6: 1×50 / 2×75 / 2×100 / 1×200	75	KEY Lock	14.352.XXX
800	4: 2×100 / 1×200 / 1×300	75	KEY Lock	14.371.XXX
800	5: 1×50 / 2×100 / 1×150 / 1×300	75	KEY Lock	14.368.XXX
800	6: 2×75 / 2×100 / 1×150 / 1×200	75	KEY Lock	78.522.XXX
800	7: 1×50 / 2×75 / 2×100 / 2×150	75	KEY Lock	14.354.XXX
800	7: 2×75 / 4×100 / 1×150	75	KEY Lock	14.367.XXX
800	1: 1×100 + 1 door 600, right / 1 adjustable shelf / 1 pull-out shelf	75	KEY Lock	78.524.XXX
850	4: 3×150 / 1×300	75	KEY Lock	78.525.XXX
850	5: 1×50 / 2×100 / 1×200 / 1×300	75	KEY Lock	78.527.XXX
850	6: 1×75 / 3×100 / 1×125 / 1×250	75	KEY Lock	78.529.XXX
850	5: 2×100 / 1×150 / 2×200	75	KEY Lock	14.399.XXX
850	6: 1×50 / 2×100 / 2×150 / 1×200	75	KEY Lock	14.407.XXX
850	7: 1×50 / 2×75 / 2×100 / 1×150 / 1×200	75	KEY Lock	14.404.XXX
850	7: 2×75 / 3×100 / 2×150	75	KEY Lock	14.405.XXX
850	8: 1×50 / 2×75 / 4×100 / 1×150	75	KEY Lock	14.403.XXX

Art. no. **14.367.519.C**  
 Housing: Light grey, RAL 7035  
 Fronts: Metallic grey, NCS S 6502-B  
 (excluding partition material)



**S**  
**S**

➤ Accessories see p. 44

**S**  
**S**



**S**  
**S**

## Equipped with drawers and doors

Drawer cabinets can optionally be fitted with drawers and a door. Because the door is recessed, special pull-out shelves are used. As standard, the two locks have different keys. Identical locks or a CODE/RFID Lock locking system are available on request (CODE/RFID Lock is not available for doors).

**S**  
**S**  
**S**  
**S**

= load capacity  
 = locking system

Art. no. **78.524.522**  
 Housing: Ruby red, RAL 3003  
 Fronts: Metallic grey, NCS S 6502-B  
 (excluding partition material)



**27 × 36 E** W → 564 mm D ↗ 725 mm

459 × 612 mm



H ↑	Number of drawers mm	kg	Lock	Art. no.
723	4: 1 × 50 / 2 × 100 / 1 × 200	75	KEY Lock	14.281.XXX
723	5: 2 × 50 / 2 × 100 / 1 × 150	75	KEY Lock	14.331.XXX
723	6: 2 × 50 / 2 × 75 / 2 × 100	75	KEY Lock	14.347.XXX

S  
S

890	5: 2 × 75 / 1 × 100 / 1 × 150 / 1 × 200	75	KEY Lock	78.546.XXX
890	6: 1 × 50 / 2 × 75 / 2 × 100 / 1 × 200	75	KEY Lock	78.548.XXX



990	5: 1 × 50 / 2 × 100 / 1 × 150 / 1 × 300	75	KEY Lock	14.374.XXX
990	5: 3 × 100 / 2 × 200	75	KEY Lock	14.397.XXX
990	7: 1 × 50 / 2 × 75 / 2 × 100 / 2 × 150	75	KEY Lock	14.372.XXX
990	7: 2 × 75 / 4 × 100 / 1 × 150	75	KEY Lock	14.373.XXX

S

S  
S



760	3: 1 × 50 / 1 × 100 / 1 × 150 / 1 set of support brackets (upper)	75	KEY Lock	70.632.XXX
760	1 adjustable shelf	75	-	78.216.XXX



810	1 adjustable shelf	75	-	70.633.XXX
-----	--------------------	----	---	------------

Art. no. **14.373.512**  
 Housing: Light grey, RAL 7035  
 Fronts: Ruby red, RAL 3003  
 (excluding partition material)

**Mobile cabinets**

All mobile drawer cabinets on this page are equipped with:  
 1 raised edge on 4 sides and ribbed mat,  
 1 push-bar,  
 1 pair castor holders with nylon castors Ø 100 mm,  
 Drawer safety catch on right, Load capacity 400 kg



When ordering a drawer cabinet from these two pages with **CODE Lock**, please add the suffix „C“ or for **RFID** or **AUTO Lock** the suffix „F“ or „A“ to the article number from the table (e.g. **78.467.XXX.C**).

➤ Other locking systems see p. 14 – 17

**S LISTA quick delivery range**  
 These LISTA products in the colours light blue (.010) and light grey (.020) are available ex-works at short notice.

**.010** Light blue RAL 5012    **.020** Light grey RAL 7035



# Drawer cabinets | stationary and mobile



Art. no. **14.505.514.C**  
 Housing: Light grey, RAL 7035  
 Fronts: Light blue, RAL 5012  
 (excluding partition material)


**36 x 36 E**    **W** → 717 mm    **D** ↗ 725 mm

 612 x 612 mm



<b>H</b> ↑	Number of drawers mm	kg	Locking system	Art. no.
800	4: 1×100 / 2×150 / 1×300	75	KEY Lock	78.632.XXX
800	6: 2×75 / 2×100 / 1×150 / 1×200	75	KEY Lock	78.636.XXX
850	4: 1×100 / 1×150 / 1×200 / 1×300	75	KEY Lock	79.382.XXX
850	4: 1×100 / 1×150 / 1×200 / 1×300	200	KEY Lock	79.498.XXX
850	5: 1×50 / 2×100 / 1×200 / 1×300	75	KEY Lock	14.411.XXX
850	5: 1×50* / 2×100 / 1×200 / 1×300	200	KEY Lock	14.505.XXX
850	5: 1×100 / 3×150 / 1×200	75	KEY Lock	14.410.XXX
850	5: 1×100 / 3×150 / 1×200	200	KEY Lock	14.504.XXX
850	7: 1×50 / 2×75 / 2×100 / 1×150 / 1×200	75	KEY Lock	78.640.XXX
850	7: 1×50* / 2×75 / 2×100 / 1×150 / 1×200	200	KEY Lock	78.642.XXX
850	7: 2×75 / 3×100 / 2×150	75	KEY Lock	14.409.XXX
850	7: 2×75 / 3×100 / 2×150	200	KEY Lock	14.503.XXX
850	8: 1×50 / 2×75 / 4×100 / 1×150	75	KEY Lock	14.408.XXX
850	8: 1×50* / 2×75 / 4×100 / 1×150	200	KEY Lock	14.502.XXX

\* Load capacity max. 75 kg

**i** 



When ordering a drawer cabinet from these two pages with **CODE Lock**, please add the suffix „C“ or for **RFID** or **AUTO Lock** the suffix „F“ or „A“ to the article number from the table (e.g. **78.467.XXX.C**).

➤ Other locking systems see p. 14–17

**S** **LISTA quick delivery range**

These LISTA products in the colours light blue (.010) and light grey (.020) are available ex-works at short notice.

**.010** Light blue RAL 5012    **.020** Light grey RAL 7035

 = load capacity  
 = locking system



**S** Art. no. **18.205.010**  
Light blue, RAL 5012  
(excluding partition material)



Art. no. **13.106.522**  
Housing: Ruby red, RAL 3003  
Fronts: Metallic grey, NCS S 6502-B  
(excluding partition material)

**36 × 36 E** **W** → 717 mm **D** ↗ 725 mm

612 × 612 mm

<b>H</b> ↑	<b>Number of drawers</b> mm	<b>kg</b>	<b>KEY Lock</b>	Art. no.
1000	6: 1 × 50/3 × 150/2 × 200	75	KEY Lock	<b>14.417.XXX</b>
1000	6: 1 × 50*/3 × 150/2 × 200	200	KEY Lock	<b>14.510.XXX</b>
1000	6: 1 × 100/4 × 150/1 × 200	75	KEY Lock	<b>14.415.XXX</b>
1000	6: 1 × 100/4 × 150/1 × 200	200	KEY Lock	<b>14.509.XXX</b>
1000	7: 1 × 50/2 × 75/2 × 100/1 × 200/1 × 300	75	KEY Lock	<b>14.416.XXX</b>
1000	7: 1 × 50*/2 × 75/2 × 100/1 × 200/1 × 300	200	KEY Lock	<b>18.205.XXX</b>
1000	8: 1 × 50/2 × 75/2 × 100/2 × 150/1 × 200	75	KEY Lock	<b>14.414.XXX</b>
1000	8: 1 × 50*/2 × 75/2 × 100/2 × 150/1 × 200	200	KEY Lock	<b>14.508.XXX</b>
1000	8: 2 × 75/3 × 100/3 × 150	75	KEY Lock	<b>14.412.XXX</b>
1000	8: 2 × 75/3 × 100/3 × 150	200	KEY Lock	<b>14.506.XXX</b>
1000	9: 9 × 100	75	KEY Lock	<b>78.648.XXX</b>
1000	9: 9 × 100	200	KEY Lock	<b>78.650.XXX</b>
1000	10: 1 × 50/2 × 75/7 × 100	75	KEY Lock	<b>14.413.XXX</b>
1000	10: 1 × 50*/2 × 75/7 × 100	200	KEY Lock	<b>14.507.XXX</b>
1450	9: 2 × 75/2 × 100/2 × 150/2 × 200/1 × 300	75	KEY Lock	<b>78.309.XXX</b>
1450	9: 2 × 75/2 × 100/2 × 150/2 × 200/1 × 300	200	KEY Lock	<b>14.511.XXX</b>
1450	9: 3 × 100/5 × 150/1 × 300	75	KEY Lock	<b>78.311.XXX</b>
1450	9: 3 × 100/5 × 150/1 × 300	200	KEY Lock	<b>13.106.XXX</b>
1450	10: 1 × 50/5 × 100/4 × 200	75	KEY Lock	<b>78.313.XXX</b>
1450	10: 1 × 50*/5 × 100/4 × 200	200	KEY Lock	<b>14.512.XXX</b>
890	3: 1 × 100/1 × 200/1 × 300	200	KEY Lock	<b>69.927.XXX</b>
890	5: 1 × 50/2 × 100/1 × 150/1 × 200	75	KEY Lock	<b>69.928.XXX</b>
890	6: 2 × 75/3 × 100/1 × 150	75	KEY Lock	<b>69.929.XXX</b>
962	5: 1 × 50/2 × 100/1 × 150/1 × 200	75	KEY Lock	<b>78.652.XXX</b>
1112	7: 2 × 75/2 × 100/2 × 125/1 × 150	75	KEY Lock	<b>78.666.XXX</b>
1112	8: 4 × 75/3 × 100/1 × 150	75	KEY Lock	<b>78.668.XXX</b>

**S**  
**S**  
**S**  
**S**  
**S**  
**S**

**Mobile cabinets**

All mobile drawer cabinets on this page are equipped with:  
1 raised edge on 4 sides and ribbed mat,  
1 push-bar,  
1 pair castor holders with rubber castors Ø 160 mm, Drawer safety catch on right, Load capacity 600 kg  
For height 890 mm:  
Rubber casters Ø 100 mm, capacity 400 kg

**S**  
**S**



Art. no. **78.668.090**  
Gentian blue, RAL 5010  
(excluding partition material)

# Drawer cabinets | stationary



Art. no. **78.682.519**  
Housing: Light grey, RAL 7035  
Fronts: Metallic grey, NCS S 6502-B  
(excluding partition material)

**45 × 36 E**

**W → 870 mm**


**D ↗ 725 mm**

 765 × 612 mm

**H ↑ Number of drawers mm**

 kg



Art. no. 



850	7: 1 × 50/2 × 75/2 × 100/1 × 150/1 × 200	75	KEY Lock	<b>78.686.XXX</b>
850	7: 1 × 50*/2 × 75/2 × 100/1 × 150/1 × 200	200	KEY Lock	<b>78.688.XXX</b>
850	7: 2 × 75/2 × 100/2 × 125/1 × 150	75	KEY Lock	<b>78.690.XXX</b>
850	7: 2 × 75/2 × 100/2 × 125/1 × 150	200	KEY Lock	<b>78.692.XXX</b>
850	8: 4 × 75/3 × 100/1 × 150	75	KEY Lock	<b>78.682.XXX</b>
850	8: 4 × 75/3 × 100/1 × 150	200	KEY Lock	<b>78.684.XXX</b>



1000	7: 1 × 50/2 × 75/2 × 100/1 × 200/1 × 300	75	KEY Lock	<b>78.694.XXX</b>
1000	7: 1 × 50*/2 × 75/2 × 100/1 × 200/1 × 300	200	KEY Lock	<b>78.696.XXX</b>
1000	8: 1 × 50/2 × 75/3 × 100/1 × 150/1 × 250**	75	KEY Lock	<b>78.698.XXX</b>
1000	8: 1 × 50*/2 × 75/3 × 100/1 × 150/1 × 250	200	KEY Lock	<b>78.700.XXX</b>
1000	8: 3 × 50/2 × 75/2 × 100/1 × 150/1 × 250**	75	KEY Lock	<b>78.702.XXX</b>
1000	8: 3 × 50*/2 × 75/2 × 100/1 × 150/1 × 250	200	KEY Lock	<b>78.704.XXX</b>




1450	9: 3 × 100/5 × 150/1 × 300**	75	KEY Lock	<b>78.706.XXX</b>
1450	9: 3 × 100/5 × 150/1 × 300	200	KEY Lock	<b>78.708.XXX</b>
1450	9: 9 × 150	75	KEY Lock	<b>78.710.XXX</b>
1450	9: 9 × 150	200	KEY Lock	<b>78.712.XXX</b>
1450	13: 4 × 75/6 × 100/3 × 150	75	KEY Lock	<b>78.714.XXX</b>
1450	13: 4 × 75/6 × 100/3 × 150	200	KEY Lock	<b>78.716.XXX</b>

\* Load capacity max. 75 kg

\*\* Load capacity 200 kg

**i**





When ordering a drawer cabinet from these two pages with **CODE Lock**, please add the suffix „C” or for **RFID** or **AUTO Lock** the suffix „F” or „A” to the article number from the table (e.g. **78.467.XXX.C**).

➤ Other locking systems see p. 14–17



Art. no. **78.716.010**  
Light blue, RAL 5012  
(excluding partition material)

 = load capacity  
 = locking system



Art. no. **78.297.280.C**  
Orange, RAL 2004  
(excl. partition material)

**54 × 36 E**

**W** → 1023 mm

**D** ↗ 725 mm

918 × 612 mm



**H** ↑ Number of drawers mm

kg Lock Art. no.

850	5: 3 × 100 / 1 × 150 / 1 × 300**	75	KEY Lock	<b>78.796.XXX</b>
850	5: 3 × 100 / 1 × 150 / 1 × 300	200	KEY Lock	<b>78.798.XXX</b>
850	6: 2 × 75 / 2 × 100 / 1 × 150 / 1 × 250**	75	KEY Lock	<b>78.800.XXX</b>
850	6: 2 × 75 / 2 × 100 / 1 × 150 / 1 × 250	200	KEY Lock	<b>78.802.XXX</b>
850	7: 1 × 50 / 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200	75	KEY Lock	<b>78.804.XXX</b>
850	7: 1 × 50* / 2 × 75 / 2 × 100 / 1 × 150 / 1 × 200	200	KEY Lock	<b>78.806.XXX</b>
1000	5: 2 × 100 / 2 × 200 / 1 × 300**	75	KEY Lock	<b>79.390.XXX</b>
1000	5: 2 × 100 / 2 × 200 / 1 × 300	200	KEY Lock	<b>79.392.XXX</b>
1000	6: 1 × 100 / 4 × 150 / 1 × 200	75	KEY Lock	<b>78.291.XXX</b>
1000	6: 1 × 100 / 4 × 150 / 1 × 200	200	KEY Lock	<b>14.515.XXX</b>
1000	7: 1 × 50 / 2 × 75 / 2 × 100 / 1 × 200 / 1 × 300**	75	KEY Lock	<b>78.292.XXX</b>
1000	7: 1 × 50* / 2 × 75 / 2 × 100 / 1 × 200 / 1 × 300	200	KEY Lock	<b>14.516.XXX</b>
1000	8: 1 × 50 / 2 × 75 / 2 × 100 / 2 × 150 / 1 × 200	75	KEY Lock	<b>78.293.XXX</b>
1000	8: 1 × 50* / 2 × 75 / 2 × 100 / 2 × 150 / 1 × 200	200	KEY Lock	<b>12.541.XXX</b>
1000	8: 2 × 75 / 3 × 100 / 3 × 150	75	KEY Lock	<b>78.294.XXX</b>
1000	8: 2 × 75 / 3 × 100 / 3 × 150	200	KEY Lock	<b>14.513.XXX</b>
1000	10: 1 × 50 / 2 × 75 / 7 × 100	75	KEY Lock	<b>78.295.XXX</b>
1000	10: 1 × 50* / 2 × 75 / 7 × 100	200	KEY Lock	<b>14.514.XXX</b>
1450	9: 2 × 75 / 2 × 100 / 2 × 150 / 2 × 200 / 1 × 300**	75	KEY Lock	<b>78.296.XXX</b>
1450	9: 2 × 75 / 2 × 100 / 2 × 150 / 2 × 200 / 1 × 300	200	KEY Lock	<b>12.550.XXX</b>
1450	9: 3 × 100 / 5 × 150 / 1 × 300**	75	KEY Lock	<b>78.297.XXX</b>
1450	9: 3 × 100 / 5 × 150 / 1 × 300	200	KEY Lock	<b>14.518.XXX</b>
1450	10: 1 × 50 / 5 × 100 / 4 × 200	75	KEY Lock	<b>78.298.XXX</b>
1450	10: 1 × 50* / 5 × 100 / 4 × 200	200	KEY Lock	<b>14.519.XXX</b>

**S**

**LISTA quick delivery range**

These LISTA products in the colours light blue (.010) and light grey (.020) are available ex-works at short notice.

**.010**

Light blue  
RAL 5012

**.020**

Light grey  
RAL 7035

**S**

**S**

**S**

**S**

**S**

**S**

**S**

**S**

**S**

**S**

**S**

**S**



Art. no. **14.516.514**  
Housing: Light grey, RAL 7035  
Fronts: Light blue, RAL 5012  
(excluding partition material)



# Drawer cabinets | stationary






**64 x 36 E**

**W** → 1193 mm

**D** ↗ 725 mm



 1088 x 612 mm



<b>H</b> ↑	Number of drawers	mm			Art. no. 
1000	7:	2 x 75 / 2 x 100 / 1 x 150** / 2 x 200**	75	KEY Lock	<b>78.826.XXX</b>
1000	7:	2 x 75 / 2 x 100 / 1 x 150 / 2 x 200	200	KEY Lock	<b>78.828.XXX</b>
1000	8:	2 x 75 / 4 x 100 / 1 x 150** / 1 x 200**	75	KEY Lock	<b>78.830.XXX</b>
1000	8:	2 x 75 / 4 x 100 / 1 x 150 / 1 x 200	200	KEY Lock	<b>78.832.XXX</b>
1000	8:	2 x 75 / 3 x 100 / 3 x 150**	75	KEY Lock	<b>78.834.XXX</b>
1000	8:	2 x 75 / 3 x 100 / 3 x 150	200	KEY Lock	<b>78.836.XXX</b>
1450	10:	2 x 150 / 1 x 125 / 1 x 75 / 3 x 100 / 1 x 150 / 2 x 200	200	KEY Lock	<b>78.838.XXX</b>
1450	11:	1 x 150 / 1 x 125 / 1 x 75 / 5 x 100 / 2 x 150 / 1 x 200	200	KEY Lock	<b>78.840.XXX</b>
1450	12:	1 x 150 / 1 x 125 / 3 x 75 / 5 x 100 / 1 x 150 / 1 x 200	200	KEY Lock	<b>78.842.XXX</b>

\*\* Load capacity 200 kg

Art. no. **78.842.514**  
 Housing: Light grey, RAL 7035  
 Fronts: Light blue, RAL 5012  
 (excluding partition material)

 = load capacity  
 = locking system







Art. no. **78.868.512**  
 Housing: Light grey, RAL 7035  
 Fronts: Ruby red, RAL 3003  
 (excluding partition material)

**78×36 E**    **W** → 1431 mm    **D** ↗ 725 mm

 1326×612 mm



<b>H</b> ↑	Number of drawers	mm			Art. no. 
1000	5: 2×100 / 2×200*	1×300**	75	KEY Lock	<b>79.492.XXX</b>
1000	5: 2×100 / 2×200	1×300	200	KEY Lock	<b>79.494.XXX</b>
1000	7: 2×75/2×100/1×150**	2×200**	75	KEY Lock	<b>78.856.XXX</b>
1000	7: 2×75/2×100/1×150	2×200	200	KEY Lock	<b>78.858.XXX</b>
1000	8: 2×75/4×100/1×150**	1×200**	75	KEY Lock	<b>78.860.XXX</b>
1000	8: 2×75/4×100/1×150	1×200	200	KEY Lock	<b>78.862.XXX</b>
1450	10: 2×150 / 1×125 / 1×75 / 3×100 / 1×150	2×200	200	KEY Lock	<b>78.868.XXX</b>
1450	11: 1×150 / 1×125 / 1×75 / 5×100 / 2×150	1×200	200	KEY Lock	<b>78.870.XXX</b>
1450	12: 1×150 / 1×125 / 3×75 / 5×100 / 1×150	1×200	200	KEY Lock	<b>78.872.XXX</b>

**i** 

When ordering a drawer cabinet from these two pages with **CODE Lock**, please add the suffix „C“ or for **RFID** or **AUTO Lock** the suffix „F“ or „A“ to the article number from the table (e.g. **78.467.XXX.C**).

➤ Other locking systems see p. 14–17